Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10661	(optic\$4 near4 transceiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 11:30
S2	10661	(optic\$4 near4 transceiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/03/13 12:45
S3	141	S2 and (ground\$4 near4 capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 12:45
S4	376	S2 and (ground\$4 same capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 12:46
S5	287	S4 and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 13:03
S6	61	S5 and (TOSA OSA ROSA (optic\$4 near3 subassembl\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2007/03/13 13:04
S7	10691	(optic\$4 near4 transceiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:08
S8	23	S7 and (common near4 mode) and (ground near4 capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 09:08

S9	3	S7 and (common near3 mode near7 (ground\$4 near3 capacitor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:12
S10	2	S7 and (common near3 mode and (grounding near3 capacitor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:12
S11	21	S7 and (common near3 mode and (ground\$4 near3 capacitor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/19 10:13
S12	11595	(optic\$4 near4 transceiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 21:18
S13	415	S12 and (ground\$4 same capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 21:18
S14	302	S13 and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 21:18
S15	63	S14 and (TOSA OSA ROSA (optic\$4 near3 subassembl\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 21:18
S16	63	S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/09/30 21:19

	r		T			
S17	11595	(optic\$4 near4 transceiv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 21:21
S18	25	S17 and (common near4 mode) and (ground near4 capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 21:21
· S19	25	S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 21:22
S20		S17 and (common near3 mode near7 (ground\$4 near3 capacitor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 21:22
S21	3	S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 21:22
S22	2	S17 and (common near3 mode and (grounding near3 capacitor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 21:22
S23	2	S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2007/09/30 21:23
S25	23	S17 and (common near3 mode and (ground\$4 near3 capacitor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 21:23

S26	23	S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 21:23
S27	5026	398/115,116,117,135,138,139.ccls. or 385/88,92.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 22:28
S28	328	S27 and (ground\$3 near4 (plane layer plate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 21:35
S29	261	S28 and (@ad<"20030331" @rlad<"20030331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/09/30 21:45
S30	187	S29 and (substrate pcb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 21:46
S31	1544	398/115,116,117,135,138,139.ccls. or 385/88,92.ccls.	US-PGPUB	OR	ON	2007/09/30 22:28
S32	120	S31 and (ground\$3).clm.	US-PGPUB	OR	ON	2007/09/30 22:28
S33 ·	11	S32 and (capacitor).clm.	US-PGPUB	OR	ON	2007/09/30 22:28